	fety Data She		07/2006 (REACH)	(EN / D
evi	ade name : sion date : date :	LITNOTIN M 30.01.2019 01.02.2019	IN Polish Cream black Version (Revision) :	4.0.2 (4.0.1)
EC	TION 1: Identific	ation of the sub	stance/mixture and of the company/ ur	ndertaking
.1	Product identifie			
2	Relevant identi	fied uses	ubstance or mixture and uses advised a	gainst
_		wax blends contains:	-	<i>,</i>
.3		acturer/importe	er/only representative/downstream use	r/distributor
	Distributor :		CDK Stone Pty Ltd	
	Street :		4-6 Freighter Rd	
	Postal code/city :		AUS-Moorabbin, Victoria 3189	
	Telephone :		+61 3 8552-6000	
	Telefax :		+61 3 8552-6001	
	Contact :		Technical Department E-mail: enquiries@cdkstone.com.au	
			Emergency telephone number: +61 (0)3 8552-6000 (Only available during office hours)	
	Supplier :		Lithofin AG	
	Street :		Heinrich-Otto-Str. 36	
	Postal code/city :		73240 Wendlingen	
	Telephone :		+49 (0)7024 9403-0	
	Telefax :		+49 (0)7024 9403-40	
	Contact :		Technical Department	
			E-mail: info@lithofin.de	
			Emergency telephone number: +49 (0)7024 9403-0	
.4	Emergency telep	ohone number	(Only available during office hours)	
	see section 1.3			
EC	TION 2: Hazards	identification		
.1	None	ccording to Reg	or mixture ulation (EC) No 1272/2008 [CLP]	
	Additional infor The substance is cla Remark		is according to regulation (EC) No 1272/2008 [CLP].	
2		UH-phrases: see sectio	n 16.	
. 2	Labelling accor	upplemental label e	on (EC) No. 1272/2008 [CLP] lements for certain mixtures available on request.	
	Other labelling			
3	Other hazards			
			Daga - 1 / 10	
			Page : 1 / 10	(EN / [

(EN/D)

	Safety Data Sheet (EN/C according to Regulation (EC) No. 1907/2006 (REACH)							
	Trade name : Lithofin MN Polish Cream black Revision date : 30.01.2019 Version (Revision) : 4.0.2 (4.0.1)							
Print	date :	01.02.2019		· · ·				
	None							
2.4	Additional inform The substances in the		criteria according to REACH, annex XIII.					
SEC	TION 3: Composi	tion/information on ingre	dients					
3.2	EC No. : 918-481-9; (Weight fraction : Classification 1272/2 Additional information All ingredients of this	13, n-alkanes, isoalkanes, cyclics, < 2' CAS No. : (64742-48-9) ≥ 15 - < 20 % 2008 [CLP] : Asp. Tox. 1 ; H304	% aromatics ; REACH registration No. : 01-21 o REACH regulation.	.19457273-39-xxxx ,				
SEC	TION 4: First aid	measures						
4.1	General inform When in doubt or if person or a person Following inhal	symptoms are observed, get medical with cramps. If unconscious place in ation	advice. Never give anything by mouth to a recovery position and seek medical advice. In case of respiratory tract irritation, cons					
	In case of skin contact After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner							
	After eye contact Rinse immediately carefully and thoroughly with eye-bath or water. Protect uninjured eye. In case of eye irritation consult an ophthalmologist.							
	After ingestion When in doubt or if vomiting.	symptoms are observed, get medical	advice. Rinse mouth thoroughly with wate	er. Do NOT induce				
		of the first aider ntion to self-protection!						
4.2		symptoms and effects, bo	h acute and delayed					

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray ABC-powder Foam Unsuitable extinguishing media

Full water jet Strong water jet

5.2 Special hazards arising from the substance or mixture Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters Use suitable breathing apparatus.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Print date :

Lithofin MN Polish Cream black

30.01.2019 01.02.2019 Version (Revision) :

4.0.2 (4.0.1)

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For cleaning up

Suitable material for taking up: Universal binder Clean contaminated articles and floor according to the environmental legislation.

Other information

Clear spills immediately.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff.

Protective measures

not useable after freezing. Inhalation of vapours or spray/mists Skin contact Eye contact Wear personal protection equipment (refer to section 8). Always close containers tightly after the removal of product. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Measures to prevent fire

The product is not: Flammable Usual measures for fire prevention.

Fire class : B Shake well before use nein

Advices on general occupational hygiene

P362+P364 - Take off contaminated clothing and wash it before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

Hints on joint storage

Storage class (TRGS 510): 10

Protect from frost ja

Recommended storage temperature 5 - 25 °C

Further information on storage conditions

Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated place. **Protect against :** Frost

7.3 Specific end use(s)

	fety Data She	et ion (EC) No. 1907/2006 (REACH)	(EN / D
	ade name :	Lithofin MN Polish Cream black	
	sion date : date :	30.01.2019 Version (Rev 01.02.2019	ision) : 4.0.2 (4.0.1)
	Recommendati Observe technical da	on ta sheet. Observe instructions for use.	
SEC	TION 8: Exposure	e controls/personal protection	
8.1	Hydrocarbons, C10-C	ers xposure limit values 3, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : (6474 intry of origin) : TRGS 900 (D) 600 mg/m ³	12-48-9)
8.2	Exposure contro Appropriate en Ensure adequate ver	Is Jineering controls tilation of the storage area. and the application of suitable work processes have priority over	personal protection equipment.
	Eye/face protection Usually no persona Spray application. Suitable eye protection	eye/face protection necessary. Eye/face protection necessary at ection ide protection goggles	: Splashes, Contact with eyes,
	DIN EN 166 Skin protection Usually no persona application. Hand protection Suitable gloves		
	comparable article Additional hand Remark : Breakt of the protective of concentration and resistance to cher	glove articles : Manufacturer KCL GmbH/Eichenzell-Germany; A s from other companies. protection measures : Check leak tightness/impermeability pr rough times and swelling properties of the material must be tak loves resistant to chemicals must be chosen as a function of the quantity of hazardous substances. For special purposes, it is rec nicals of the protective gloves mentioned above together with the e not substitutes for body protection.	ior to use. en into consideration. The qualit specific working place ommended to check the
	Body protection Protective clothing Suitable protect Required prope Protective clothing	ive clothing : Chemical protection clothing Chemical resistant s ties : acid-resistant. alkali-resistant. . : DIN EN ISO 20345 DIN EN 13034 DIN EN 14605	afety shoes
footwear : DIN EN 14404 Remark : Barrier creams are not substitutes for body protection. Respiratory protection Usually no personal respirative protection necessary. Respiratory protection necessary at: i aerosol or mist formation. high concentrations spray application Suitable respiratory protection apparatus Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1		ry at: insufficient ventilation	
	Remark Use only respirato limits according G	ry protection equipment with CE-symbol including four digit test	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Print date :

Lithofin MN Polish Cream black

30.01.2019 01.02.2019 Version (Revision) :

4.0.2 (4.0.1)

When using do not eat, drink, smoke, sniff. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to reuse. Wash hands before breaks and after work. Apply skin care products after work. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	• •	•	•		
Appearance : Pa	iste				
Colour : bla	ack				
Odour: so	lvent				
Safety relevant b	asis data				
Melting point/melting	•	Pa)	not determined		
Initial boiling point an range :	d boiling (1013 h	Pa) >	90	°C	
Decomposition temper	rature : (1013 h	Pa)	not determined		
Flash point :		>	100	°C	closed cup (EN ISO 3679)
Ignition temperature :			not determined		
Sustaining combustion	ı		No		UN Test L2:Sustained combustibility test
Lower explosion limit : Upper explosion limit :			not determined not determined		
Vapour pressure :	(50 °C)	<	3000	hPa	
Density :	(20 °C)		0,92	g/cm ³	Pyknometer (DIN EN ISO 2811-1)
Solvent separation tes	t: (20°C)	<	3	%	Test L1: Solvent separation test (UN)
Water solubility	(20 °C)		partially miscible		
pH :		approx			DIN 19268
log P O/W :			not determined		(Mixture)
Flow time :	(23 °C)	>	1000	S	ISO cup 4 mm (DIN EN ISO 2431)
Odour threshold :			not determined		
Vapourisation rate :			not determined		
VOC content-EC		approx	. 20,6	Wt %	*
VOC-France			A+		Décret no 2011-321 du 23 mars 2011

(* VOC-EC = "Volatile organic compound (VOC)" means any organic compound having an initial boiling point less than or equal to 250° C measured at a standard pressure of 101,3 kPa; VOC-value in g/L)

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions.

10.5 Incompatible materials

ccording to Regulat	tion (EC) No). 1907/2006 (REACH)		
rade name :	Lithofi	n MN Polis	h Cream	black	
evision date : int date :	30.01.2019 01.02.2019		v	ersion (Revision) :	4.0.2 (4.0.2
No data available					
0.6 Hazardous deco					
Does not decompose	when used for in	ntended uses.			
ECTION 11: Toxicol	ogical infor	mation			
1.1 Information on	toxicologica	al effects			
Acute effects					
There are no data a	vailable on the p	reparation/mixture it	tself. Data apply t	to the main componen	t.
Acute oral toxicity	/				
Parameter :		LD50 (Hydrocarbons No. : (64742-48-9))		nes, isoalkanes, cyclics,	< 2% aromatics ; CA
Exposure route :		Oral			
Effective dose :	oit.	> 5000 mg/kg			
Acute dermal toxi Parameter :	city	ID50 (Hydrocarbon	s (10-(13 n-alkar	nes, isoalkanes, cyclics,	< 2% aromatics · CI
Farameter .		No. : (64742-48-9))		ies, isoaikaries, cyclics,	
Exposure route :		Dermal			
Effective dose :		> 5000 mg/kg			
Specific sympto					
	•	preparation/mixture it	tself.		
Irritant and co		cts			
Assessment/class					
slightly irritant but	not relevant for	classification.			
Sensitisation			If		
		preparation/mixture it		-)	
Repeated dose				c)	
		preparation/mixture it		ity for ronroduc	tion)
-	arcinogenici	ity, mutagenici	ty and toxic	ity for reproduc	tion)
Carcinogenicity	available on the	preparation/mixture	itcolf		
Other informatio		preparation/mixture	itsen.		
No indication of h		nicity.			
Germ cell mutage	-	,			
There are no data	available on the	preparation/mixture	itself.		
No indications of h		mutagenicity exist.			
Reproductive toxi	-		:h 16		
Other informatio		preparation/mixture	itseif.		
No indications of		tive toxicity exist			
Overall Assessme					
			for classification a	as CMR category 1A o	r 1B according to CLF
STOT-single ex				5,	5
See SECTION 2.1 (c	-				
STOT-repeated					
See SECTION 2.1 (c	-				
Aspiration haza					
•	lassification).				
See SECTION 2.1 (C					
SECTION 12: Ecologi	cal informa	tion			

Safety Data Shee			(EN / D
according to Regulati	on (EC) No	5. 1907/2006 (REACH)	
Trade name :	Lithofi	n MN Polish Cream black	
Revision date :	30.01.2019	Version (Revision) :	4.0.2 (4.0.1)
Print date :	01.02.2019		
Aquatic toxicity) fich tovicity		
Chronic (long-term Parameter :	i) fish toxicity	V NOEC (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, No. : (64742-48-9))	< 2% aromatics ; CAS
Species :		Fish	
Effective dose :		> 0,1 - 1 mg/l	
Chronic (long-term) daphnia tox		
Parameter :	<i>,</i> .	NOEC (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, No. : (64742-48-9))	< 2% aromatics ; CA
Species :		Daphnia	
Effective dose :		> 0,1 - 1 mg/l	
Acute (short-term)	algae toxicit	-	
Parameter :		EC50 (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, No. : (64742-48-9))	< 2% aromatics ; CAS
Species :		Daphnia	
Effective dose :		> 100 mg/l	
Effects in sewag	•		
Observe local regulati		-	
12.2 Persistence and o	-	-	
There are no data avai	lable on the pr	eparation/mixture itself.	
Biodegradation			
There are no data ava	ailable on the p	preparation/mixture itself.	
12.3 Bioaccumulative	potential		
There are no data avai	lable on the pr	eparation/mixture itself.	
12.4 Mobility in soil			
•	lable on the pr	eparation/mixture itself.	
12.5 Results of PBT an		sessment meet the PBT/vPvB criteria according to REACH, annex XIII.	
12.6 Other adverse ef			
		eparation/mixture itself.	
12.7 Additional ecotox	•	information	
Additional informati			
The product has not b	been tested.		
SECTION 13: Disposa	l considera	ations	
13.1 Waste treatment	methods		
Dispose according to le Waste disposal accordi		2008/98/EC, covering waste and dangerous waste.	
Product/Packag	ing dispos	al	
		is according to EWC/AVV	
Waste code produ Waste code (EWC/	ıct	-	
Waste treatment o			
	-	dispose of this material and its container in a safe way.	
	kages must be	completely emptied and can be re-used following proper clea	ning. Packing which
cannot be properly	cleaned must	be disposed of.	
13.2 Additional inform	ation		

SECTION 14: Transport information

Safety Data She	et ion (EC) No. 1907/2006 (REACH)	(EN / D
Trade name :	Lithofin MN Polish Cream black	
Revision date : Print date :	30.01.2019 Version (Revision) : 01.02.2019	4.0.2 (4.0.1)
14.1 UN number	sense of these transport regulations.	
4.2 UN proper shipp		
4.3 Transport hazar	· -	
4.4 Packing group		
14.5 Environmental h	sense of these transport regulations. azards	
No dangerous good ir L4.6 Special precaution	sense of these transport regulations.	
None		
14.7 Transport in bul not required.	k according to Annex II of Marpol and the IBC Code	
SECTION 15: Regula	tory information	
Directive 2008/98/E0 EN 2:1992 (DIN EN Authorisations an	d/or restrictions on use	ixtures (clp)
Restrictions on u Use restriction acc	se cording to REACH annex XVII, no. : None, if handled according to order.	
Restrictions of o	ccupation ns to employment for juvenils according to the 'juvenile work protection guid	deline' (04/33/EC)
	ent restrictions under the Maternity Protection Directive (92/85/EEC) for exp	
Other regulations	(EU) of 7 April 1998 on the protection of the health and safety of workers from the	he risks related to
chemical agents at REGULATION (EU) import of hazardou	work. (Directive 2000/39/EC, Directive 2006/15/EC, Directive 2009/161/EC) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL conc s chemicals [PIC-Regulation]	erning the export and
• •	No 98/2013 on the marketing and use of explosives precursors: Not applica No. 1005/2009 on substances that lead to the depletion of the ozor	
Contains the follow Regulation (EC)	ving substances that deplete the ozone layer: - No 850/2004 [POP-Regulation]	
•	stent organic pollutant (POP): -	
	any national regulations!	
Germany: TRGS 400 (Risk asse TRGS 500 (Protectiv	ssment for activities involving hazardous substances) e measures)	
TRGS 510 (Storage of	of hazardous substances in non-stationary containers) instruction and information for workers)	
Class : 1 (Slightly h	azardous to water) Classification according to AwSV restrictions and prohibition regulations	
	Page : 8 / 10	/ /
		(EN / [

Safety Data Shee		(EN / I
ccording to Regulatio	on (EC) No. 1907/2006 (REACH)	
Frade name : evision date : rint date :	Lithofin MN Polish Cream black 30.01.2019 Version (Revision) : 01.02.2019	4.0.2 (4.0.1
Switzerland		
VOCV-Regulation		
	tent (Switzerland) : 19,1 Wt % according to VOCV	
5.2 Chemical safety as	re a chemical safety assessment has not been carried out.	
5.3 Additional informa		
ECTION 16: Other inf	ormation	
6.1 Indication of chan	aes	
07. Hints on joint storag		
6.2 Abbreviations and	acronyms	
ABC-Pulver	Extinguishing powder for fire class A, B and C	
ABEK-P1	combination filter	
ADR	European Agreement concerning the International Carriage of Dangerou	s Goods by Road
AVV	Abfallverzeichnis-Verordnung (Waste Regulation)	
AWSV	Ordinance on facilities for the handling of substances hazardous to water	r
BGR	BG rules and regulations	
ca.	circa	
CAS	Chemical Abstract Service	
CLP	classification, labelling and packaging	
CMR	Carcinogen, mutagen or toxic for reproduction	
DIN	German Institute for Standardization	
DNEL	Derived No-Effect Level	
EAK/EWC/EAC/CWR/CE	R European Waste Catalogue	
EC50 / CE50	Effective Concentration 50%	
EG / EC / CE	European Community	
EN	European Standard	
EUH	supplemental hazard statement of the european union	
GefStoffV	Gefahrstoffverordnung (Hazardous Substances Ordinance)	
GHS / SGH	Globally Harmonised System	
H-Sätze	hazard statements	
IATA-DGR	International Air Transport Association-Dangerous Goods Regulations	
IBC-Code	International Code for the Construction and Equipment of Ships carrying Chemicals in Bulk	Dangerous
ICAO-TI	International Civil Aviation Organization-Technical Instructions	
IMDG-Code	International Maritime Dangerous Goods Code	
ISO	International Organization for Standardization	
LC50 / CL50	Lethal Concentration 50%	
LD50 / DL50	Lethal Dose 50%	
log P O/W	Partition coefficient n-octanol/water	
MARPOL	International Convention for the Prevention of Pollution from Ships (mar	ine pollution)
NOAEL (DSET)	No observed adverse effect level	
NOEC (CSEO)	No observed effect concentration	
Nr.	Number	
OECD	Organisation for Economic Co-operation and Development	
PBT	persistent, bioaccumulative and toxic	
рН	Potentia hydrogenii	

Saf	ety Data She	et		(EN / D
acco	ording to Regulat	ion (EC) No. 1907/2006 (I	REACH)	
-	de name :	Lithofin MN Polis		
Revisi Print (ion date : date :	30.01.2019 01.02.2019	Version (Revision) :	4.0.2 (4.0.1)
	PIC	prior informed consent		
	PNEC	Predicted No-Effect Concentratio	n	
	POP	Persistent organic pollutants		
	P-Sätze	precautionary statements		
	REACH	· ·	sation and Restriction of Chemicals	
	RID	International Carriage of Danger		
	STEL / LECT	short-term exposure limit	······,	
	TRGS	•	ffe (Technical Rules for Hazardous Substa	nces)
	TWA / MPT	time-weighted average		,
	UN/ONU	United Nations		
	VOC/COV/VOS/LZO	Volatile Organic Compound		
	VOCV	• •	on Volatile Organic Compounds (SR 814.0	18)
	vPvB	very persistent and very bioaccu		- /
	WGK	Wassergefährdungsklasse (Wate		
16.4	Regulation (EC) No 12 ECHA: Registered subs REACH Art. 59: -Candi (https://www.echa.eu Classification for No 1272/2008 [C Hazard statements for Hazard statements for Hazard statements for	stances (https://echa.europa.eu/infoi idate List of substances of very high ropa.eu/candidate-list-table) mixtures and used evalua CLP] • physical hazards : On basis of test of health hazards : Calculation method • environmental hazards : Calculation	mation-on-chemicals/registered-substanc concern for Authorisation ation method according to reg ata. method.	
16.5		EUH-phrases (Number an	-	
	H304	May be fatal if swallowed and enters	airways.	
16.6	Training advice			
16.7	None Additional inform None	nation		
knowl sheet,	edge. The information is for storage, processing	s intended to give you advice about t , transport and disposal. The informa	ts of the product and is based on our pres ne safe handling of the product named in tion cannot be transferred to other produc g, the information on this safety data shee	this safety data cts. In the case of